

Paper 2005 – present

Schoder D, Schmalwieser A, Schauburger G, Kuhn M, Hoorfar J, Wagner M (2005) A novel approach for the performance of PCR cyclers for reliable diagnostic testing. *J Clin. Microbiol.* 43(6), 2724-2728.

Malorny B, Wagner M (2005) Detection of *Enterobacter sakazakii* strains by real-time PCR. *J Food Prot.* 68, 1623-1627.

Foissy H, Lindner G, Fugger G, and Wagner M (2005) Versuche zur Reproduzierbarkeit von Hemmstofftestergebnissen in Rohmilch nach Probenlagerung. *Wien. Tierärztl. Monatsft* 92, 126-130.

Wagner M, Melzner D, Bago Z, Winter P, Egerbacher M., Schilcher F, Zangana A, Schoder D (2005) Outbreak of clinical listeriosis in sheep. Evaluation from possible contamination routes from feed to raw produce to humans. *J Vet Med* 52 (6), 278-283.

Ehling-Schulz M, Fricker M, Dommel M, Grallert H, Rieck P, Wagner M, Scherer S (2006) Cereulide synthetase gene cluster from emetic *Bacillus cereus*: Structure and location on a mega virulence plasmid related to *B. anthracis* toxin plasmid pXO1. *BMC Microbiology*, doi: 6:20.

Wagner M, Eliskases-Lechner F, Rieck P, I. Hein I, Allerberger F (2006) Characterization of *Listeria monocytogenes* isolated from fifty Austrian small cheese making factories. *J. Food Prot* 96, 1297-1303.

Rossmannith P, Krassnig M, Wagner M, Hein I (2006) Detection of *L. monocytogenes* in food using a combined enrichment/real-time PCR method targeting the *prfA* gene. *Res. Microbiol.* 157, 763-771.

Hein I, Flekna G, Smulders F, Wagner M (2006) Real-time PCR for the detection of *Salmonella* spp. in food: an alternative approach to a conventional PCR system suggested by the Food-PCR consortium. *J Microbiol. Methods* 66, 538-547.

Grif K, Heller I, Wagner M, Dierich M, Würzner R (2006) A comparison of *Listeria monocytogenes* serovar 4b isolates of clinical and food origin in Austria by automated ribotyping and pulsed-field gel electrophoresis. *Foodborne Path. Dis.*, 3, 138-141.

Scotti M*, Lacharme L*, Wagner M*, Chico-Calero I, Losito P, Vazquez-Boland J (2006) Coexpression of virulence and fosfomycin susceptibility in *Listeria*: molecular substantiation of the *in vivo-in vitro* paradox in antimicrobial susceptibility. *Nature Medicine*, doi:10.1038/nm1396.

*These authors have equally contributed to the work

Peter Gerner-Smidt P, Scheutz F, and the PulseNet Europe VTEC Consortium (2006) Standardised Pulsed-Field-Gel-Electrophoresis of verocytotoxin producing *Escherichia coli*–The PulseNet Europe feasibility study. *Foodborne Path. Dis.*, 3, 74-80.

Wagner M, Auer B, Trittmittel C, Hein I, Schoder D (2006) Survey on the *Listeria* contamination of ready-to-eat food products and household environments in Vienna, Austria. *Zoon Publ Health.* 54, 16-22.

Hein I, Flekna G, Wagner M, Nocker A, Camper AK (2006) Possible errors in the interpretation of ethidium bromide and PicoGreen-DNA staining results from ethidium monoazide (EMA)-treated DNA. *Appl. Environ. Microbiol.* 72, 6860-6862.

Schneeweiss W, Stanek CH, Wagner M, Hein I (2006) Isolation of inhibitor-free DNA for real-time PCR analysis of synovial fluid from horses, cattle and pigs. *Vet. Microbiol.* 121, 189-193.

Martin P, Jacquet C, Goulet V, Vaillant V, De Valk H; Participants in the PulseNet Europe Feasibility Study (2006) Pulsed-field gel electrophoresis of *Listeria monocytogenes* strains: the PulseNet Europe Feasibility Study. *Foodborne Pathog Dis.* 3(3), 303-308.

Flekna G, Stefanic P, Smulders FJM, Smole S, Wagner M, Hein I (2007) Studying the effect of EMA on live and dead *Campylobacter jejuni* and *Listeria monocytogenes* cells to augment the scientific basis for the application of EMA/real-time PCR. *Res Microbiol.* 158(5), 405-12.

Flekna G, Schneeweiss W, Smulders FJM, Wagner M, Hein I (2007) Real-time method with statistical analysis to compare the potential of DNA isolation methods to remove PCR inhibitors from samples. *Mol. Cell. Probes* 21, 282-287.

Schoder D, Zangerl P, Manafi M, Wagner M, Lindner G, Foissy H (2007) *Bacillus cereus* - ein Problemkeim der Milchwirtschaft mit unterschiedlich eingeschätztem Risikopotenzial. *Wien. Tierärztl. Monatschft.* In press.

Rossmann P, Süß B, Wagner M, Hein I (2007) Development of a novel method based on matrix lysis for concentration of bacteria from food and blood and application for the real-time PCR based quantification of *L. monocytogenes* in milk. *J. Microbiol. Meth.* 69, 504-511.

Peles F, Wagner M, Hein I, Gutser K, Kereszturi P, Kardos G, Beri B, Szabo A (2007) Characterization of *Staphylococcus aureus* strains isolated from bovine milk in Hungary. *Int J Food Microbiol.* 118, 186-193.

Hein I, Schneeweiss W, Stanek Ch, Wagner M (2007) Ethidium monoazide and propidium monoazide for elimination of unspecific DNA background in quantitative universal real-time PCR. *J. Microbiol. Meth.* 71, 333-339.

Pappelbaum K, Grif K, Würzner R, Hein I, Ellerbroek L, Wagner M. (2008) Contamination chains of *Listeria monocytogenes* in a produce processing plant. *J Food Prot.* 71, 735-741.

Schoder D, Zangana A, Paulsen P, Winter P, Baumgartner W, Wagner M (2008) Ovine *Listeria monocytogenes* mastitis and fresh cheese from raw milk-the impact of farm management, milking and cheese manufacturing practices as risk factors for human listeriosis. *Milchwissenschaft*, .

Malorny B, Löffström Ch, Wagner M, Krämer N, Hoorfar J (2008) Enumeration of Salmonella by real-time PCR for quantitative microbial risk assessment. *Appl. Environ. Microbiol.* 74, 1299-1304.

Stessl B, Luf W, Wagner M, Schoder D. (2008) Performance testing of six chromogenic ALOA-type media for the detection of *Listeria monocytogenes*. *J. Appl. Microbiol.* 106, 651-659.

Gonano M, Zangerl P, Wagner M, Hein I, Rammelmayer A (2008) Phenotypic and molecular characterization of Austrian *Staphylococcus aureus* strains of veterinary, dairy and human origin: *Epid. Inf.* 23, 1-12.

Hein I, Gadzov B, Schoder D, Foissy H, Malorny B, Wagner M (2008) Temporal and spatial distribution of Cronobacter isolates in a milk powder processing plant determined by pulsed-field gel electrophoresis. *Foodborne Path. Dis.* 6, 225-233.

Süß B, Flekna G, Wagner M, Hein I (2008) Studying the effect of single mismatches in primer and probe binding regions on amplification curves and quantification in real-time PCR. J. Microbiol. Meth. 76, 316-319.

Kasper S, Huhulescu S, Auer B, Heller I, Karner F, Würzner R, Wagner M, Allerberger F (2009) Epidemiology of listeriosis in Austria. Wr. Klin. Wochenschrft. 121, 113-119

Schwillinsky-Reichert F, Pin C, Dzieciol M, Rieck P, Wagner M, Hein I (2009) Stress and growth rate related differences between plate count and real-time PCR data during growth of *Listeria monocytogenes*. Appl. Environ. Microbiol. 75, 2132-2138.

Mayrl E, Barbara Roeder B, Mester P, Wagner M, Rossmannith P (2009) Broad range evaluation of the matrix solubilization (matrix lysis) strategy for direct enumeration of food-borne pathogens by nucleic acids technologies. J Food Prot. Accepted

Allerberger F and Wagner M. Listeriosis: a resurgent foodborne infection. Clinical Microbiology and Infection , accepted.